

**IN THE CLAIMS**

Please amend the claims as follows:

1-6. cancelled

1 7. (original) A computer program product residing in a computer storage medium for  
2 performing power routing on a voltage island within an integrated circuit chip, said computer  
3 program product comprising:

4 program code means for generating a first robust power grid for a voltage island  
5 on metal levels 1 to N-1;

6 program code means for generating a second robust power grid for said voltage  
7 island on metal levels N and above;

8 program code means for determining a bounding region of said second robust  
9 power grid; and

10 program code means for routing a plurality of shortest distance connections from  
11 a plurality of power sources to said second robust power grid.

1 8. (original) The computer program product of Claim 7, wherein said second robust power  
2 grid is a power segment.

1 9. (original) The computer program product of Claim 7, wherein a number of power  
2 segments to be generated on said metal level N and above is determined by determining the  
3 product of a number of said power sources and a number of connections to be made per power  
4 source.

1 10. (original) The computer program product of Claim 7, wherein said computer program  
2 product further includes program code means for determining a bounding region of said second  
3 robust power grid.

1 11. (original) The computer program product of Claim 7, wherein said program code means  
2 for generating a second robust power grid further includes:

3 program code means for obtaining a count of power source shapes of an identical  
4 voltage polarity on a chip;

5 program code means for identifying a chip position at which said voltage island  
6 is located;

7 program code means for determining and generating a bounding region on top of  
8 said voltage island on which said routing is to be performed; and

9 program code means for generating power grids within said bounding region.

1 12. (original) The computer program product of Claim 7, wherein said program code means  
2 for routing further includes:

3 program code means for obtaining a plurality of source points to form an group\_A;

4 program code means for dividing said group\_A based on connection per source  
5 information;

6 program code means for obtaining target power shapes for said second robust  
7 power grid on metal level N and above to build a group\_B; and

8 for a given middle shape  $s$  in said group\_A, program code means for performing  
9 ShapeRouting to route from  $s$  to a shape  $t$  in said group\_B.

1 13. (original) A computer system for performing power routing on a voltage island within an  
2 integrated circuit chip, said computer system comprising:

3 means for generating a first robust power grid for a voltage island on metal levels  
4 1 to N-1;

5 means for generating a second robust power grid for said voltage island on metal  
6 levels N and above;

7 means for determining a bounding region of said second robust power grid; and

8 means for routing a plurality of shortest distance connections from a plurality of  
9 power sources to said second robust power grid.

1 14. (original) The computer system of Claim 13, wherein said second robust power grid is a  
2 power segment.

1 15. (original) The computer system of Claim 13, wherein a number of power segments to be  
2 generated on said metal level N and above is determined by determining the product of a number  
3 of said power sources and a number of connections to be made per power source.

1 16. (original) The computer system of Claim 13, wherein said computer system further  
2 includes means for determining a bounding region of said second robust power grid.

1 17. (original) The computer system of Claim 13, wherein said means for generating a first  
2 robust power grid further includes:

3 means for obtaining a count of power source shapes of an identical voltage polarity  
4 on a chip;

5 means for identifying a chip position at which said voltage island is located;

6 means for determining and generating a bounding region on top of said voltage  
7 island on which said routing is to be performed; and

8 means for generating power grids within said bounding region.

1 18. (original) The computer system of Claim 13, wherein said means for routing further  
2 includes:

3 means for obtaining a plurality of source points to form an group\_A;

4 means for dividing said group\_A based on connection per source information;

5 means for obtaining target power shapes for said second robust power grid on  
6 metal level N and above to build a group\_B; and

7 for a given middle shape *s* in said group\_A, means for performing shaperouting  
8 to route from *s* to a shape *t* in said group\_B.

19-21. cancelled